

EPDM RUBBER GRANULES

Color Overview

THE WIDEST SELECTION OF COLORS FOR EVERY APPLICATION

Explore an endless range of vibrant colors to bring your sports and leisure surfaces to life

All Topfloor Sports Infra colors have a high degree of homogeneity and colorstability. All Topfloor Sports Infra colors achieve top marks on the grey scale. This means you can rely on an attractive appearance for a long time.

In addition to 22 standard colors of EPDM granules, we also supply individual special colors – personalized according to your wishes from a quantity of three tons.

22 STANDARD COLORS



020
WHITE
RAL 9010



021
EGGSHELL
RAL 1015



022
BEIGE
RAL 1014



023
YELLOW
RAL 1002



024
BRIGHT YELLOW
RAL 1012



025
BRIGHT GREEN
RAL 6017



026
GREEN
RAL 6021



027
DARK GREEN
RAL 6005



028
TURQUOISE BLUE
RAL 5018



029
BRIGHT BLUE
RAL 5012



030
BLUE
RAL 5015



031
DARK BLUE
RAL 5010



032
PINK
RAL 4003




033
LILAC
RAL 4005



034
BRIGHT ORANGE
RAL 2008



035
BRIGHT RED
RAL 3017



036
TERRACOTTA RED
RAL 3011



037
BEIGE BROWN
RAL 8024



038
BROWN
RAL 8025



039
GREY
RAL 7038



040
MIDDLE GREY
RAL 7037



041
BLACK
RAL 9017



RAL color specifications serve as non-binding guidelines. For delicate shades, especially greys and blues, the use of an aliphatic binder is highly recommended.


SIZE
• 0.5-2 mm • 1-3 mm • 1-4 mm
• 2-4 mm • 3-5 mm • Others

EPDM GRANULES PROPERTIES



Critical Fall Heights

ACOUSTOSCAN



TOPFLOOR SPORTS INFRA EPDM Granules Properties

Base polymer EPDM	(Ethylene -Propylene -Diene Terpolymer)
Polymer content	≥ 22 % -(only EPDM)
Tensile strength (ASTM D-412)	18 Kg/cm ²
Elongation at break (ASTM D-412)	> 1068 %
Hardness (ASTM D-2240)	62 ± 5 Shore A
Density (ASTMD-297)	1.5 g/cm ³

≥ 22%
**PURE
EPDM**

More polymer creates added value. The high proportion of high-quality EPDM in our premium granules has a direct impact: for each granule the physical properties are improved, which leads to higher quality and longer lifetime on the final application. In addition, the special composition of the raw materials guarantees high color consistency, less chalking and a uniform appearance after installation of the covering. A particular advantage for installers is the reduced dust content in the BOPP bags thanks to optimized production processes.



Scan for
Free Sample Book

GET IN TOUCH

Topfloor Sports Infra Pvt. Ltd.

CORPORATE OFFICE

B-1102, Swati Trinity,
Nr. Applewood Township,
Sardar Patel Ring Road,
Shela, Ahmedabad 380057,
Gujarat, India.

Contact : +91 99786 31811
+91 82005 13097

Email : info@topfloorsportsinfra.com
sales@topfloorsportsinfra.com

FACTORY

Survey No. 199, At: Vaghroda,
Nr. Khavad Village,
Kadi-Kalyanpura Road,
Ta: Kadi, Dist: Mahesana 384445,
Gujarat, India.

Contact : +91 99786 31811
+91 82005 13097

Email : info@topfloorsportsinfra.com
sales@topfloorsportsinfra.com